



Aalborg Universitet

AALBORG UNIVERSITY  
DENMARK

## Optical and mechanical anisotropy of oxide glass fibers

Deubener, J.; Yue, Yuanzheng

*Published in:*

International Glass Fiber Symposia 2012: Proceedings of the first International Symposium on Glass Fiber

*Publication date:*  
2012

*Document Version*  
Accepted author manuscript, peer reviewed version

[Link to publication from Aalborg University](#)

*Citation for published version (APA):*

Deubener, J., & Yue, Y. (2012). Optical and mechanical anisotropy of oxide glass fibers. In *International Glass Fiber Symposia 2012: Proceedings of the first International Symposium on Glass Fiber* (pp. 44-45). Institut für Textiltechnik of RWTH Aachen University. <http://www.ita.rwth-aachen.de/glassconf/>

### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### Take down policy

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

# Optical and mechanical anisotropy of oxide glass fibers

J. Deubener<sup>1</sup>, Y. Yue<sup>2</sup>

<sup>1</sup> Clausthal University of Technology, D-38678 Clausthal-Zellerfeld, Germany

<sup>2</sup> Aalborg University, DK-9000 Aalborg, Denmark

Upon fiber drawing, glass forming oxide melts are thermally quenched and mechanically stretched. High cooling rates (up to  $10^6$  K/min) of quenched glass fibres lead to higher enthalpy state of liquids, thereby, to higher fictive temperature than regular quenching (e.g. 20 K/min) of bulk glass products [1], whereas stretching (frozen-in strain) results in optical and mechanical anisotropy of glass fibers, which is quantified inter alia by the specific birefringence [2]. The paper will stress the later effects by combining previous results on the structural origins of birefringence and anisotropic shrinkage in silica and phosphate fibers with recent studies on relaxation of optical anisotropy in E-glass fibers [3,4].

## References

- [1] Y. Z. Yue, J. deC. Christiansen, S.L. Jensen, Determination of the Fictive Temperature for a Hyperquenched Glass (2002) Chem. Phys. Lett. **357**, 20-24.
- [2] J. Deubener, L. Wondraczek (2004) Anisotropic alkali silicate glasses by frozen-in strain, in: H. Li (Ed.) Melt chemistry, relaxation, and solidification kinetics of glasses, The American Ceramic Society, Ceram. Transact. **170**, 47-56.
- [3] M. Ya, J. Deubener, Y. Yue (2008) Enthalpy and anisotropy relaxation of glass fibers, J. Am. Ceram. Soc., **91** 745–752
- [4] J. Wu, J. Deubener, J. F. Stebbins, L. Grygarova, H. Behrens, L. Wondraczek, Y. Yue (2009) Structural response of a highly viscous aluminoborosilicate melt to isotropic and anisotropic compression, J. Chem. Phys. **131**, 104504